





Carousel USA Turntable Irntable Assembly							
ND CONFIDENTIAL	SIZE	DWG. NO.			REV		
protained in this property of Carousel ction in part or as a written permission of ohibited.	В	M120HD-1506-1					
	SCALE: 1:150		DO NOT SCALE DRAWING	SHEET 1	OF 9		
2				1			


[	DIAN	<i>N</i> ETER	12.0m (236.22'')
	HEI	GHT	547mm (21.52'') WITH 794mm (31.26'') RECESS FOR MOTOR
	POINT LOAD		107639kg/m^2 (22,000 psf)
	PAYI	TABLE LOAD ACITY	45,360kg (100,000 lb)
	FINISH SPEED MOTOR TOP SURFACE		HOT DIPPED ZINC GALVANIZED FINISH ON STEEL STRUCTURE
			0.1-0.5 RPM
			NORD HELICAL RIGHT ANGLE GEARBOX
-			DIAMOND TREAD HOT DIPPED GALVANIZED STEEL PLATE
	TURNTAB	E WEIGHT	TBD (~50,000 LB)
CONTREE	AS 5/21/2015	(A)	CarouselUSA
	6/2/2015		














	С
	В
E. CONTRERAS 5/21/2015 6/2/2015	
ID Carousel USA Turntable Motor Pit Location	A
RY AND CONFIDENTIAL SIZE DWG. NO. REV   ion contained in this re sole property of Carousel production in part or as a uf the written permission of M120HD-1506-7 1	-
A is prohibited. SCALE: 1:200 DO NOT SCALE DRAWING SHEET 7 OF 9	

D

